

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6A




FIG. 7




FIG. 8




FIG. 9A




FIG. 9B




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11A




FIG. 11B




Fig. 11C





Fig. 11D






Fig. 11F

11F00

FIG. 11G




Fig. 11G

1210	{	<local computer information>	
		computer_name	="org5"
		domain_name	="bugwheat2"
		virtualip_address	="10.0.11.130"
		visibleip_address	="208.185.39.2"
		firewall_in_place	="no"
		network_config	="Inline"
		dns_from_dhcp	="no"
		dns_primary	="10.10.10.2"
		dns_secondary	="10.10.10.3"
1212	{	ProxyIp	="208.185.40.2"
		</local computer information>	
		<local interface information>	
		name	="eth0"
		mac_layer_address	="00:90:27:EE:02:3B"
		local_IP_address	="208.185.39.2"
		gateway	="208.185.39.1"
		subnet_mask	="255.255.255.0"
		dhcp	="none"
		</local interface information>	
1214	{	<local_LAN_Information><address range>	
		startip_address_range	="208.185.49.1"
		endip_address_range	="208.185.49.255"
		type	="included"
		gateway	=""
		</address range> </local_LAN_Information>	
		<cryptographic key>	
		kind	="PublicKey"
		type	="NOC's_Primary_Key"
		format	="RSA"
1216	{	encryption	="3DES"
		modulus	="0x ... 01"
		modulus_bits	="1024"
		public_exp	="0x03"
		</cryptographic key>	
		<firewall rule>	
		protocol="tcp"	
		direction="in"	
		src_ip_mask="\$any"	
		src_port="1024:65535"	
1218	{	dst_ip_mask="\$1"	
		dst_port="21"	
		action="ACCEPT"	
		rule_number="1"	
		</firewall rule>	

Fig. 12




FIG. 13




FIG. 14

1500




FIG. 15A




FIG. 15B

2200





FIG. 15C



1600B




FIG. 16B




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




Fig. 22




Fig. 23

FIG. 24

Extranet Import - Microsoft Internet Explorer

Domains

B57Co1	{	2410 2412	{	<input checked="" type="checkbox"/> Accept
b70co1				<input checked="" type="checkbox"/> Accept
co1				<input checked="" type="checkbox"/> Accept
B61co1				<input checked="" type="checkbox"/> Accept
CO_00400				<input type="checkbox"/> Accept

Actions

OK	Cancel	Apply	Help
⚡	⚡	⚡	⚡
2430	2432	2434	2436

⚡

2400

Fig. 24




FIG. 25

Order OpenReach TrueSpan Services - Netscape

File Edit View Go Communicator Help

Back Forward Reload Home Search Netscape Print Security Stop

Bookmarks Location: http://208.171.204.133/openreach/_links_form.asp

OpenReach Reference Avaya Stuff Stock Stuff Yahoo! Finance Yahoo! Dem. Foodst. Bal.

What's Related

Support Center

Partner Programs

News Room

Promotions & Events

TrueSpan Login

Order Now!

2610

2615

2620

2625

2630

2635

* Company name

* First name

* Last name

* Job Title

* Address

Address 2

* City

* State

* Postal code:

* Country: (Choose One)

* Phone

Phone Extension

* Email:

2640

2645

2650

Note: You are under no obligation to purchase by submitting this form

* When you order 9:00am-5:00pm EST, Monday through Friday. Otherwise, you will be contacted by 11:00am EST the next business day.

I would like to receive periodic updates and promotional information from OpenReach via Email.

Yes

* = required fields

Order Now Clear

Document Done

FIG. 26

2705

Order TrueSpan™ Services

Activation Plan Selection Wizard

Answer the following questions for your site(s) and then click on Continue

Site Description

Site Name

Country

Contact

Phone #

Email

2710

How many users will be connecting to this site? 2720

How many users will connect remotely to this site? 2730

Do you have Internet access from your site? 2735

- If yes, what type of connection do you have 2740

Do you have a firewall on your Local Area Network? (click here to find out if you have a firewall installed on your network) 2745

- If yes, what kind of firewall do you have 2750

Do you have a dedicated PC that can be used as your TrueSpan Gateway? (click here for minimum hardware requirements) 2760

2770

[Continue](#) [Help](#)

2760 2770

Enter Site Info

Select Activation Solution

Review And Place Your Order

Enter Credit Card Info

FIG. 27




FIG. 28




FIG. 30

General
Network
Firewall
VPN
ACL
Routes
DHCP

— Identity and Location —

3105 TrueSpan Name*

3110 Gateway Name*

3111 Street Address*

3112 City*

3113 State/Province*

3114 Postal Code (if US)

3115 Country*

3116 Time Zone*

— Configuration —

3117 Peer Configuration

3118 Selected Configuration

3119 Speed up to

3120 Promotion Code

— Maintenance —

3121 Preferred gateway maintenance time: Day* Hour*

3122 Allow automatic reboot after maintenance.

— Actions —

3123




FIG. 31

View/Modify Configuration for Gateway: Seattle

General

Network

Firewall

VPN

Network Parameters for Peer Configuration

3210

LAN Interface

3211

* IP Address

3212

* Network Mask

3213

* Default Gateway

3220

Proxy

Internet Access via Proxy Server

3221

3230

DNS

3231

Primary DNS

3232

Secondary DNS

3240

OK

3250

Reset

3260

Cancel

3270

Help

Start

Stop

Restart

Apply

OK

Cancel

View

Help

FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40

4105 <monitoring_information>
 4110 name="org-name"
 4115 vip="virtual IP of org"
 4120 ctime="system up time in seconds"
 4125 <tunnel>
 4130 vip="vip of buddy"
 4135 age="age,uptime"
 4140 <bandwidth>
 4145 data="tod,interval,tx_bytes,tx_packets"
 4150 </bandwidth>
 4155 <latency>
 4160 data="tod,interval,min,max,avg"
 4165 </latency>
 4170 ...
 4175 </tunnel>
 4180 <interface>
 4185 name="eth0" | "tcpt0" | "ipsec0"
 4190 <bandwidth>
 4195 data="tod,interval,tx_bytes,tx_pkts,tx_errs,tx_dropped,
 4200 rx_bytes,rx_pkts,rx_errs,rx_dropped"
 4205 </bandwidth>
 4210 ...

FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46

4705




FIG. 48